Subject index

A

A6 cells 463
A7r5, smooth-muscle-derived cell line 433
Acetylcholine 291, 548
– binding steps 509
– receptor channel 129
Acetylcholinesterase 540
Acid microclimate 174
Acid/base experiments 157
Action potential generation 500
Active sodium transport 571
Adenosine 142
– triphosphate 309, 517
Adrenaline 106
Adrenergic 433
α-Adrenergic 375
β-Adrenergic 375
β-Adrenergic-muscarinic antagonism 291
β-Adrenoceptor agonists 546
β-Adrenoceptor-mediated depolarization 185
Afterpotentials 469
α_1-agonist phenylephrine 117
Airway smooth muscle 517
Aldosterone 577
Alkaline tide 157
Alpha-adrenergic response 370
Alpha$_1$-adrenoceptors 42
Ambient temperature 336
Amiloride 142, 200, 382
γ-Aminobutyric acid B Receptor ($GABA_B$) 469
9-Amino-1,2,3,4-tetrahydroacridine 611
Amphibian distal tubule 582
Amphibian skin 577
Ampullary electroreceptor 100
Anaerobic ATP provision 278
Anaesthetized Brattleboro rat 106
Angiotensin II 42
Animal hemispheres 194
Antidiuretic hormone 342, 622
Antisecretory factor 174
Apical conductance 463
– membrane 342, 562
Arachidonic acid 149
Arrhythmia 309
Arterial pH 157
Arteries in situ 180
Artery smooth muscle 21
ATP provision 278
– sensitivity 517
ATPase 120
ATP-induced depolarization 309
Atrial cell membrane 126
– myocytes 638
– natriuretic factor 84, 243, 353
Autoregulation 42

B

Backfiring 540
Barium 29, 207, 463
Basal membrane 654
Basilar artery 528
Basolateral cell membrane 37
– conductance 463
– membrane 454, 582
– – conductance 207
Bay K 8644 58
BAY K 8644 223
Beetle malpighian tubules 654
Bicarbonate channel 616
– permeability 616
Bicarbonate-free solutions 382
Blood flow 67, 485
– gases 73, 157
– glucose 441
– pressure 106, 353
Body temperature 336, 375,558
Brain cooling 375
– temperature 336, 375
Brattleboro rat 106
Breast carcinoma 562
8-Brome analogue of cGMP 174

C

$[Ca^{2+}]$ 645
$[Ca^{2+}]_i$ 404
Ca^{2+}-activated K^+ 469
Ca^{2+}-activated K^+ channels 517
Ca^{2+} channel proteins 329
Ca channels 58
Ca^{2+}-channels 117
Ca^{2+} current 638
^{45}Ca efflux kinetics 391
Ca^{2+} entry 342
Ca^{2+} Influx 622
Ca^{2+} oscillations 645
Ca^{2+} release 638
Ca^{2+} sensitivity 21
Ca_1 Transient 633
Cadmium 29
Calcium 309, 493, 633
– channel current 528
– – currents 223
– channels 100
– current 114, 142, 433
– currents 329, 591
– efflux 168
– intracellular 622, 651
– sensitivity 303
– stores 633
– transport 120
– uptake 454
Calmidazolium 645
Calmodulin antagonist 645
Ca^{2+}/Mg^{2+}-ATPase 645
cAMP 185, 605
cAMP-activated chloride channel 259
cAMP analogs 291
– content 546
cAMP-dependent modulation 58
Capillary growth 67
Ca^{2+}-pump epitopes 120
Carboxy-SNARF-1 234
Carcinoma cells 562
Cardiac Ca channels 58
– cells 142, 149
– contractility 353
– muscle slices 123
– muscles 370
– myocyte 638
– myocytes 48, 548
– pacemaker current (I_f) 611
– sarcoplasmic reticulum 651
– sinus venosus cells 591
Cardiomyocytes 309
Carotid occlusion 42
Cationic channels 493
Cell buffer capacity 37
– growth 269
– membrane resistance 29
– pH (pH_i) 37
– proliferation 562
Central neurons 597
Channel 129
Charge movement 114
Chloride/base exchanger 37
Chloride channel 259
Chloride-dependent synaptic inhibition 425
– – regulation 605
– channels 616
– transport 577
Chlorpromazine 418
Choline transport 324
Cholinergic-induced transport 1
α-Chymotrypsin 48
Circuit analysis 463
Cl^- 185
Cl-butyrate exchange 365
Cl^- channel blocker 317
Cl^--selective electrodes 317
Cl-HCO_3 exchange 365
Clofibric acid enantiomers 605
Cold receptor activity 91
Collecting duct 84
– – cells 324
Contractile apparatus 370
Contraction characteristics 136
ω Conus toxin 223
Coronary artery 410, 485
– steal 485
Cortical collecting ducts 317
– temperature 398
– thick ascending limb 622
Crossbridges 180
Cs^+ 562
Cultured A6 cells 463
– cells 562
– human gastric cells (HGT-1) 259
– neurones 500
– renal epithelioid (MDCK) cells 29
Cyclic adenosine monophosphate 200, 342, 365
– AMP 243
Cyclic-AMP-dependent phosphorylation 58
Cyclic GMP 243, 633
– guanosine monophosphate 84
Cycloheximide 329
Cyclooxygenase metabolites 13
Cytoplasmic adenosine triphosphate 517
Cytoplasmic free calcium 479
Cytosolic Ca^{2+} 117
– calcium 404

D

DDT$_1$ MF-2 cells 479
1-Desamino-[D-Arg^8] vasopressin 622
Desensitization 509
Diabetes insipidus (BDI) 106
Dibutyryl cyclic AMP 329
Differentiation 329
Dihydropyridine 433
– agonist Bay K 8644 58
– receptor 111
5,7-Dihydroxytryptamine 441
2,4-Dinitrophenol 517
Distal tubule 454, 582
Diuretics 454
Divalent cations 213
Dobutamine 485
Double selective microelectrodes 582
Dysgenic skeletal muscle cell 111

E

Ear artery 117
E. coli STa enterotoxin 174
Effect of Light 398
EGTA 469
Electrical properties 149
– stimulation 136
Electroencephalogram analysis 398
Electrolyte transport 161
Electron microprobe analysis 161
Electronic device 255
Electroretinogram 231
Embryonic cockroach neurone 500
Endotoxin 558
Enterocytes 240
Environmental conditions 577
Enzyme treatment 231
Epilepsy experimental 469
Epithelial cells 537
– chloride channels 616
Equivalent circuit analysis 207
Excitation 597
– contraction coupling 111
Excitation-contraction coupling 370
Excitatory synapses 285
Exercise 73
– training 79
Extracorporeal circulation 106

F

Fast muscle 67
Fatigue 73, 136
Fever 375, 418
Fibre types (muscle) 67
Fluid transports 571
Flunarizine 142
Fluorescent drugs 234
Force 136
Forskolin 291
Free cytosolic calcium 404
Frog muscle 446, 509
– skin 207
Fura-2 1, 622, 633
Furosemide 317

G

G proteins 21
G_K protein 126
$GABA_A$ 425
$GABA_B$ receptor agonist 285
$GABA_B$-receptor 469
Gadolinium 223
Gap junctions 29, 149
Gastric acid secretion 259
– smooth muscle cells 291
Glomerular capillary pressure 264
– filtration rate 360
Glucoregulation 441
Glucose 597
Glucose-induced excitation 597
Glucose uptake 79
Glycerophosphorylcholine 324
Glycine 425
Glycogenolysis 278
Glycolysis 278
G-Proteins 114, 548
GTP analogs 548
GTP-binding proteins 126, 240
GTPγS 114

H

Haemoglobin concentration 157
Haemorrhage 106
Harderian (lacrimal) gland 349
HA-SAC currents 493
HA-SACs 493
HCO_3/Cl Exchanger 309
Heart 123, 126, 142, 309, 548
– cells 149
– ventricle 410
Hemispheric asymmetry 194
Hemodynamic variables 353
Hemoglobin concentration 73
Henle's loop 161
Heparin 126
High-fat diet 79
High-sucrose diet 79
Hindlimb perfusion 79
Hippocampal CA1 pyramidal cells 469
HT_{29} 616
Human calcitonin 161
– melanoma cells 269
– quadriceps muscle 136
Hydrochlorothiazide 317
Hydroosmotic response 342
Hydrosmotic response 200
5-Hydroxytryptamine 441
Hyperglycemia 441
Hyperpolarization-activated channels 493
Hyperpolarizing pulses 493
Hypertrophied rat heart 247
Hypocalciurie effect of thiazides 454
Hypothalamic 5-OH-indole 441
Hypothalamus 441
Hypothermia 418

I

Ileal smooth muscle 645
Image processing 1
Imaging of $[Ca^{2+}]_i$ 1
Impulse propagation 540
In vitro microperfusion 622
Inactivating I_{Ca} 329
Indices of inotropic state 353
Indo-1 479
Indwelling aortic catheter 157
Inhibitory synaptic input 425
Inositol triphosphate 370
Inotropic effect 247
– state 353
Insulin resistance 79
Insulin-related peptides 597
Intestine 120
Intracellular Ca^{2+} 528
– calcium 622
– – concentration 433
– free Ca^{2+} 1
– – Mg^{2+} concentration 446
– ion activities 185
– K^+ 446
– Na^+ 382
– Na^+, K^+ and Cl^- activity 185
– pH 234
– pH regulation 382
– potential 207
Intramembrane charge movement 111
Ion channel 269
Ion-channels 537
Ionophore ETH 5214 446
Ion-selective microelectrode 382
– microelectrodes 446
Iron concentration 558
Ischaemic 67
– insult 360
Islet-activating protein 13
Isolated cardiac cells 142
– heart 247
– perfused tubule 317
– rat phrenic nerve 540
– smooth muscle cells 528
Isometric contraction 67
Isoprenaline 142, 546, 591
Isoproterenol 291
1-(5-isoquinolinesulfonyl)-2-methylpiperazine (H7) 605

J

Jejunal acid microclimate 174

K

K^+ 185
K^+ channel 126, 562
K^+ channel blocker 207
K channels 349
K^+ channels 240, 517, 548, 654
K^+ current 291
K^+ Permeability 546
Kainic acid 441
Kidney 42, 161, 360, 523
Kinetic analysis 247

L

Lacrimal gland 349, 382
Latchbridges 180
L-baclofen 285
L-Glutamate 441
Lidocaine 142
Light effects on sleep 398
– green cells (LGCs) 597
Limited blood supply 67
Liver cells 546
Luminal membranes 454
Lymnaea stagnalis 597

M

Macrophages 633
Magnesium 493
Malpighian tubules 654
Mannital 571
Maxi-K channels 349
MCF-7 Breast carcinoma 562
M current 291
MDCK cells 29
Medulla oblongata 418
Medullary collecting duct 84
Melanoma cells 269
Membrane conductance 207
– depolarization 185
– resistance 29
Menthol 100
Mercapturic acid biosynthesis 523
Mercury 29
Metabolic acidosis 157
– vasodilation 485
Methazolamide 582
Methoxamine 42
Methyl glucoside 571
Microdissected distal tubules 454
Microelectrodes 463, 582
Microperfusion 161
Micropipette 255
Mitochondrial-rich cell density 577
Molluscan 597
Mouse muscle 509
mRNAs 129
Muscarinic receptors 126, 194, 391, 548
Muscarinic responses 391
Muscle 278, 605
– α, β and δ subunits 129
– cells 528
– fibre types 446
– fibres 303
– hypoxia 67
– pH 73
– slices 123
– temperature 73
Mutant mice 111
Myasthenia gravis patients 537
Myocardial blood flow 485
– ischemia 485
Myocardium 48, 651
Myocytes 48
Myofibrillar protein isoforms 303
Myosin light-chain phosphorylation 180
Myotonic goats 605

N

Na^+ 185
Na channel inactivation 48
Na channels 142
Na^+/Ca^{2+} antiporter 200
Na^+/Ca^{2+} exchange current 638
Na:Ca, K exchange 168
NaCl-adapted toads 577
Na^+-D-Glucose cotransport 597
Na^+-free media 200
Na^+-H^+ antiporter 382
Na-H exchange 365
Na^+/H^+-antiporter 200
Na/HCO_3 symport 582
$Na/(HCO_3)_{n>1}$ cotransport 582
Na^+, K^+-ATPase activities 247
Na/K pump 91
Neonatal rat heart cells 149
Neostigmine 540
Nerve cells 441
Neuroblastoma cells 223
– x glioma hybrid cells 329
Neuron 597
Neuronal cells 329
Neurones in culture 500
Nickel 329
Nicotinic channels 509
Nifedipine 528
NMDA and non-NMDA receptors 285
N-methyl-D-aspartate 285
N-methyl-D-glucamine ($NMDG^+$) 382
Non-rapid eye movement of sleep (NREMS) 398
Non-rapid-eye-movement sleep (NREMS) 336
Noradrenaline 106
Norepinephrine 180
NREMS 336

O

Ontogeny 398
Oocytes 194, 391
Open-chest dog 410
Organic osmolytes 324
Osmolytes 324
Osmoregulation 324
Ouabain 91, 247
Oxygen metabolism 410
– saturation 157
Oxytocin 342

P

Pacemaker activity 404
– current (I_f) 611
Papillary muscles 185
Paramedian reticular nucleus 418
Parathyroid hormone 161
Parotid acini 1
Paroxysmal depolarization shift 469
Patch clamp 259, 269, 285, 479, 500, 509, 654
Patch-clamp 231, 291, 517
– micropipette 255
– recordings 123
– technique 493, 591
Penicillin 469
Periodic activity 91
pH 309
Pharmacomechanical coupling 21
Phenylephrine 117
Phlorizin 571
Phorbol ester 562
– esters 605
Phosphocreatine 278
Phosphofructokinase 278
Phospholipase C 13
Phosphorylation 58
Photolytic release of cAMP 546
Photoreceptors 168, 231
Photosensitive pineal organ 243
Phrenic nerve 540
pH-sensitive fluoroprobe 234
Pineal organ 243
Plasma cells 349
– membrane 259
Platelet-activating factor 633
Polyribocytidylic 418
Potassium channel 651
– channels 207, 537
– conductance 29
– current 479
Potassium-selective ion channel 269
Preinspiratory neurones 425
Principal cells 317
Prostaglandin synthesis 13
Protein kinase C 605
– – – (PKC) activator, 4-β-phorbol-12,13-dibutyrate 605
Proximal convolution 523
– tubular stop flow pressure 264
Purkinje fibres 611
Pyramidal cells 469
Pyrogen 418
– injection 558

Q

Quinidine 168

R

Rabbit kidney 622
Raphe nucleus 441
Rat cardiac hypertrophy 247
Rb^+ 562
Reactive hyperaemic flow 410
Rectifying K^+ current 240
REM sleep (REMS) 398
Renal autoregulation 42
– haemodynamics 42
– inner medulla 324
– proximal tubule 37
– tight cultured cell line (A6) 463
– transport 454
– – of cysteine S-conjugates 523
– tubules 654
Renin-angiotensin system 42
Repayment of flow debt 410
Repetitive nerve stimulation 540
Respiratory cells 616
– epithelia 571
– rhythm generator 425
Retifier current 611
Retina 168
Retinal rod 231
Right coronary artery 410
– ventricle 485
Rod photoreceptors 168
Rostral ventrolateral medulla 425

S

S3 segment 37
Salamander retina 168
Sarcoplasmic reticulum 638, 651
S-Benzyl-L-cysteine 523
Serosal hypertonicity 200
Serotonin 441
Serum iron 558
Short-chain fatty acids 365
SH-SY5Y cells 223
Signal transduction 194
Single cardiac myocytes 48
– channel conductance 149
– – recordings 651

Sino-atrial node 611
Sinus node 13
– tachycardia 13
– venosus cells 591
SITS 317
Skeletal muscle 67, 111, 136, 509, 605
– – fibers 114, 303, 446
Skinned cardiac muscles 370
– skeletal muscle fibres 303
Sleep 336, 398
Slow-twitch muscle 278
Small intestine 240
Smooth muscle 21, 404, 517, 645
– – cells 117, 291, 493, 528
Smooth-muscle-derived cell line 433
SNARF-1 234
Sodium channels 500, 537
– current 142, 479
– – block 213
Sodium/glucose cotransport 571
Solute and fluid transport 571
Specific membrane conductances 463
Spinal cord slices 285
Spleen 157
Spontaneous contractions 404
Staphylococcus aureus 558
Staurosporine 605
Stimulus transduction 100
Stimulus/secretion coupling 1
Stretch sensitivity 493
Striated muscle 370
Superficial nephron 360
Sympathetic nervous system 42, 375
Synaptic currents 509

T

T_{84} 616
Tachycardia 13
Tamoxifin 562
Taurine 605
TEA 349
Temperature dependence 100
Tetanic contractions 278
Tetrahydropapaveralone 605
Tetrodotoxin (TTX) 142, 500
Thermolytic area 418
Thermoregulation 336, 375, 418
Thiazides 454
Thromboxane 21
Thymoma 537
Thymus gland 537
Toad bladder 200
– skin 200, 577
– urinary bladder 342
Tongue 91
Training 79
Transducer processes 91
Transepithelial Cl^- transport 317
– ion net fluxes 161
Transient inward currents 638
Trypsin 48
T-type calcium current 142
Tubular reabsorption 523

U

Urea transport 84
Urinary bladder 342

V

Van Harreveld solution 446
Vascular resistance 180
– smooth muscle 117, 180, 433
Vasodilator reserve 485
Vasomotion 336
Vasopressin 106
Vegetal hemispheres 194
Ventricular cardiomyocytes 309
– muscle 185
– myocytes 213
– pressure 353
Veratridine 500
Visceral smooth muscle 645
Vitamin D 120
Voltage activation 207
– clamp 291
– dependence 479
Voltage-gated Ca channels 58
– Ca^{2+}-channels 117
Voltammetry 441
V_1 Receptors 622

W

Water permeability 200
– transport 84

X

Xenopus oocyte 129
– oocytes 194, 391

Z

Zinc 213